## How to off IPV6

Step1:- click on internet access button



Step2:- Click on "Open Network & Internet setting"



Settings		- 0 X
â Home	Status	
Find a setting	Wi-Fi (MKC)_15A	
Network & Internet	Properties Data usage	
di Status	B Show available networks	
정고 Ethernet	View the connection options around you.	
ft Dial up	Advanced network settings	
allo Aldu	View network adapters and change connection settings.	
🖗 Airplane mode	Network and Sharing Center For the networks you concect to, decide what you want to share.	
Mobile hotspot	Network troubleshooter     Diagnose and the network problems.	
🖶 Proxy	View hardware and connection properties Windows Firewall	
	Network reset	
D Type here to search	🥌 🚨 🔒 🔕 🦉 🤽 💷 🗷	^ .65 🕌 🚱 📾 d× 🔐 S342229M 📿

Step3:- double click on "View network adapters and change connection settings."

Step4:- right click on "Wi-Fi in "Network connection Properties"

	💇 Network Connections						-		×
Find a setting	(← ·→ · · ↑ 😰 > Contro	Panel > Network and int	emet > Network Connections >		v Ö Search	Network Connections			P
Vetwork & Intern	Organize • Connect To	Disable this network de-	ice Diagnose this connection	Rename this connection	View status of this con-	naction »	<b>B</b> : •		0
<ul> <li>Status.</li> <li>Wi-Fi</li> <li>Ethemet</li> <li>Dial-up</li> <li>VPN</li> <li>Airplane mos</li> <li>Mobile hotsp</li> <li>Proxy</li> </ul>	Common, KIU-PVD Skipnkfurduss Disconnected	NA	Lühenet Network shie unplugged Reetek PCIe GhE Færsky: Controller	Etherner 2 Frienwic colibiu unpi TXP-Windows Adap	kogen ner V9	WeFi microindislocat © Disable Connect / Disconnect Status Diagnasc © Bridge Connections Cricete Shortcut © Debite © Retrient © Pitperties			
	4.items 1 item selected							1	HI 🗮

9	Network Connections				-	D.	×
Find a setting	🗁 🔿 🐘 🛉 😰 > Control Panel > Network and internet >	Network Connections	~	ව Search Network	Connections		,p
etwork & Interne	Genanics. * Connect To Dicable Microstande desice	Riagnose this connection	Rename this connection View	v status of this connection	* B	• 🔳	0
) Status. E Wi-Fi	Nichosking Sheime Connect using @ Intel(R).Duel Earch Whelees-AC 3185	ble unplugged # Ght Family Controller	Ethemet 2 Network cable unplugged TAP-Windows Adapter V9	We-F mike Intel	india.local R) Duel Rand Wireless-AC 31.		
Ethernet	Carrigone This connection using the following testin: M To Gos Packet Scheduler						
VPN	Monosoft Network: Adapter Multiplean Protocol     Monosoft Network: Adapter Multiplean Protocol     Monosoft U.D.P. Protocol Deser     Monosoft U.D.P. Protocol Deser     Monosoft Deser						
Airplane mod	Link-Layer Topology Discovery Mapper I/O Driver						
Mobile hotsp	Discription Alove your computer to access resources on a Microsoft mitmark.						
Proxy	[ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [						
	CK Cancel	1					
	Litems Litem selected					1	

Step5:- Click on "Internet Protocol Version 6 (TCP/IPv6)"

## Step6:- Click on "OK" Button

	Vistwork Connections					-	Ē.	×
Find a setting	🗧 🔶 🕤 🛧 🔮 > Control Panel > Network and Internet >	Network Connections		v 0	Search Network Connections			P
etwork & Interne	Ginaniza - Connect In Bitable Mic option & desice	Bagnose this connection	Rename this connection	View status of th	is connection »	<b>*</b> •		0
B Status.	Networking Sharing Cornect using	ble unplugged e Ght Family Controller	Ethernet 2 Network cable unplug TAP-Windows Adapte	ndei Ma	Wi-Fi mkcindia.local Intel(R) Duel Band Wireless-AC	31		
§ Wi-Fi 2 Ethernet	The correction uses the following series							
Dial-up	CoS Packor Scheduler     CoS Internet Protocol Ventor 4 (TOP/IPv4)     Merosarh Retroit Adapter Multiplecor Protocol     Sing Microsoft LLDP Protocol Driver							
<ul> <li>VPN</li> <li>Aimlane mod</li> </ul>	A Internet Extenset Vestion 6 (10:27/1946)      A Link Layer Topology Discovery Responder      A Link Layer Topology Discovery Nepper I/O Driver     e							
8 Mobile hotsp	Install. Uninstal Properties Description TCP/IP version 6. The latest version of the internet protocol							
₿ Praxy	that provides control relation across diverse interconnected networks.							
	OK Cancel	1						